

## AOC G2 C24G2AE/BK computer monitor 59.9 cm (23.6") 1920 x 1080 pixels Full HD LED Black, Red

Brand : AOC

Product family: G2

Product code: C24G2AE/BK

Product name : C24G2AE/BK

Screen size (inch) 23.6, Panel resolution 1920x1080, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x, Sync technology (VRR) Freesync Premium

AOC G2 C24G2AE/BK computer monitor 59.9 cm (23.6") 1920 x 1080 pixels Full HD LED Black, Red:

Curved 24" VA monitor with 165 Hz, 1 ms response time and FreeSync Premium

This 165 Hz display impresses with its lightning-fast 1 ms response time and VA panel, generating extraordinarily powerful colours. The FreeSync Premium support guarantees perfect synchronisation between monitor and GPU.

AOC G2 C24G2AE/BK. Display diagonal: 59.9 cm (23.6"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting. Product colour: Black, Red








Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type *	59.9 cm (23.6") 1920 x 1080 pixels Full HD 16:9 LED VA	DisplayPort version Audio input Audio output Headphone out * Headphone connectivity Microphone in	1.2
Backlight type	W-LED	Ergonomics	
Touchscreen * Display brightness (typical) Response time * Screen shape * Screen curvature rating Supported graphics resolutions Aspect ratio Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch	<pre>X 250 cd/m<sup>2</sup> 1 ms Curved 1500R 1920 x 1080 (HD 1080) 16:9 3000:1 80000000:1 165 Hz 178° 178° 16.7 million colours 0.27156 x 0.27156 mm</pre>	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Pivot Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages	<ul> <li>100 x 100 mm</li> <li>Kensington</li> <li>Kensington</li> <li>Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian</li> </ul>
Pixel density	93 ppi	Number of OSD languages	16
Viewable size, horizontal Viewable size, vertical	52.1 cm 29.3 cm	Power	
Viewable size, vertical Display diagonal (metric) Surface hardness Colour depth sRGB coverage (typical) NTSC coverage (typical)	29.3 cm 59.944 cm 3H 8 bit 120% 85%	Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off)	E 18 kWh 27 W 0.5 W 0.3 W

Display		Power	
Adobe RGB coverage Screen curvature	89% 150 cm	Power consumption (PowerSave) AC input voltage AC input frequency	0.5 W 100 - 240 V 50 - 60 Hz
Performance NVIDIA G-SYNC * AMD FreeSync * AMD FreeSync type AMD FreeSync refresh rate range Fast charging Flicker-free technology Low Blue Light technology	X FreeSync Premium 48 - 165 Hz X 4 2 2 2 W 4 X X X	Act input frequencyS0 - 00 H2Energy efficiency scaleA to GEuropean Product Registry for Energy Labelling (EPREL) code393440External power adapterXWeight & dimensionsXWidth (with stand)536.1 mmDepth (with stand)227.4 mmHeight (with stand)3.84 kgWidth (without stand)536.1 mmDepth (with stand)68.5 mmDepth (without stand)63.5 mmHeight (without stand)321 mm	A to G 393440 X 536.1 mm 227.4 mm
Multimedia Number of speakers RMS rated power Built-in speaker(s) * Built-in microphone Built-in camera *			3.84 kg 536.1 mm 68.5 mm
Design Market positioning * Product colour * Frameless design Front bezel colour Detachable stand	Gaming Black, Red ✓ Black/Red ✓	Package width Package depth Package height Package weight	730 mm 160 mm 480 mm 6.11 kg
		Packaging content Cables included	DisplayPort, HDMI
Ports & interfaces		DisplayPort cable length HDMI cable length	1.8 m 1.8 m
Built-in USB hub * VGA (D-Sub) ports quantity DVI port HDMI * HDMI ports quantity HDMI version DisplayPorts quantity	X 1 X ✓ 2 1.4 1	Other features Exterior finish type Recyclable packaging material Heavy metals free Compliance certificates Light effects Certification	Textured 100% Hg (mercury) WEEE X ISO 9241-307
		Logistics data	

Harmonized System (HS) code

85285210



4038986148207

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.