

## AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red

Brand : AOC

Product family: G2

Product code: Q24G2A/BK

Product name : Q24G2A/BK

Screen size (inch) 23.8, Panel resolution 2560x1440, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type IPS, HDMI HDMI 2.0 x 1, Display Port DisplayPort 1.2 x 1, Sync technology (VRR) G-SYNC Compatible + Adaptive Sync

AOC G2 Q24G2A/BK LED display 60.5 cm (23.8") 2560 x 1440 pixels Quad HD LCD Black, Red:

**23,8**" gaming monitor with 165Hz refresh rate, 1ms MPRT response time and Adaptive Sync Q24G2AE/BK is a model suitable for all users who demand high performance. It boasts QHD resolution, low input lag and a wide color gamut combined with a height-adjustable stand. The refresh rate of 165 Hz, the fast response time of 1 ms MPRT and the support of Adaptive Sync technology of the Q24G2A/BK monitor eliminate image tearing and stuttering.

AOC G2 Q24G2A/BK. Display diagonal: 60.5 cm (23.8"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black, Red






Œ

Display		Ergonomics	
Display diagonal *60.5 cm (23.8")Display resolution *2560 x 1440 pixelsHD type *Quad HDNative aspect ratio *16:9Display technology *LCDPanel type *IPSLED backlightBacklight typeW-LEDTouchscreen *XDisplay brightness (typical)350 cd/m²Response time *4 ms	2560 x 1440 pixels Quad HD 16:9 LCD IPS ✓ W-LED X 350 cd/m <sup>2</sup>	VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play	100 x 100 mm Kensington 13 cm -5 - 23°
Screen shape *	Flat	LED indicators	4
Contrast ratio (typical) *	1000:1	Power	
Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Horizontal scan range Vertical scan range Viewable size, horizontal	8000000:1 165 Hz 178° 178° 16.7 million colours 0.2055 x 0.2055 mm 30 - 250 kHz 48 - 165 Hz 52.6 cm	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type	34 W 0.5 W 54 W 0.3 W 100 - 240 V 50/60 Hz 1.5 A Internal
Viewable size, vertical	29.6 cm	Operational conditions	
Display diagonal (metric)60.4 cmDDC/CIImage: Comparison of the second	✔ 3H 117.6%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	0 - 40 °C -25 - 55 °C 10 - 85% 5 - 93% 0 - 5000 m

Display		Operational conditions	
Adobe RGB coverage	100.8%	Non-operating altitude	0 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC * NVIDIA G-SYNC type VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Game mode Multimedia	G-SYNC Compatible	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	539.1 mm 227.4 mm 504.6 mm 4.78 kg 539.1 mm 47.2 mm 322.1 mm 3.35 kg
Number of speakers RMS rated power	2 4 W	Packaging data	
Built-in speaker(s) * Built-in camera *	×	Package width Package depth Package height	605 mm 184 mm 492 mm
Design		Package weight	492 mm
Market positioning * Product colour *	Gaming Black, Red	Packaging content	,
Frameless design Front bezel colour Detachable stand Feet colour	Black/Red	Stand included Cables included Quick start guide	AC
	DIack, Neu	Sustainability	
Ports & interfaces Built-in USB hub *	×	Sustainability compliance	4
HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Headphone connectivity HDCP HDCP version AC (power) in	1 2.0 1 1.2 1 3.5 mm 2.2	Other features Low input lag FPS counter Dial point Shadow control Motion blur reduction Exterior finish type Warranty period Compliance certificates Certification	Textured 3 year(s) CB, CE, Federal Communications Commission (FCC) ISO 9241-307, Microsoft WHQL



4038986141208

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.