

ASUS ROG -LOKI-1200T-SFX-L-GAMING power supply unit 1200 W 20+4 pin ATX Black, Silver

Brand : ASUS

Product family: ROG


Product code: 90YE00N0-B0NA00

Product name : ROG-LOKI-1200T-SFX-L-GAMING



ROG Loki SFX-L 1200W Titanium fully modular gaming power supply (120mm PWM ARGB fan, Aura Sync ARGB lighting, ATX 3.0 compatible, PCIe 5.0 Ready, incl. 16-pin cable, 80+ Titanium certification, Lambda Standard ++ certification)

ASUS ROG -LOKI-1200T-SFX-L-GAMING. Total power: 1200 W, AC input voltage: 100 - 240 V, Peak power: 1200 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 45 cm, SATA power cable length: 100,200,300 mm. Purpose: PC, Power supply unit (PSU) form factor: SFX-L, 80 PLUS certification: 80 PLUS Platinum. Product colour: Black, Silver, Cooling type: Active, Fan diameter: 12 cm. Cables included: AC, CPU, PCIe, Peripheral (Molex), SATA



| Power | | Ports & interfaces | |
|---|---|---------------------------------------|---|
| Total power * | 1200 W | ATX power connector (20+4 pin) | ✓ |
| Peak power | 1200 W | Cabling type | Fully-Modular |
| AC input voltage * | 100 - 240 V | Performance | |
| Power Factor Correction (PFC) type | Active | 80 PLUS certification * | 80 PLUS Platinum |
| Combined power (+3.3V) | 110 W | Purpose * | PC |
| Combined power (+12V) | 1200 W | Power supply unit (PSU) form factor * | SFX-L |
| Combined power (+5V) | 110 W | ATX version | 3.0 |
| Combined power (-12V) | 9.6 W | Bearing technology | Ball bearing |
| Combined power (+5Vsb) | 15 W | Design | |
| Max output current (+3.3V) | 20 A | Product colour | Black, Silver |
| Max output current (+12V) | 100 A | Cooling type | Active |
| Max output current (+5V) | 20 A | Fan diameter | 12 cm |
| Max output current (-12V) | 0.8 A | Number of fans | 1 fan(s) |
| Max output current (+5Vsb) | 3 A | Illumination | ✓ |
| Power protection features | Over power, Over voltage, Overcharge, Overheating, Short circuit, Under voltage | On/off switch | ✓ |
| Ports & interfaces | | Packaging content | |
| Motherboard power connector * | 20+4 pin ATX | Cables included | AC, CPU, PCIe, Peripheral (Molex), SATA |
| Motherboard power cable length | 45 cm | Weight & dimensions | |
| Number of SATA power connectors | 6 | Width | 125 mm |
| SATA power cable length | 100,200,300 mm | Depth | 125 mm |
| Peripheral (Molex) power connectors (4-pin) * | 4 | Height | 63.5 mm |
| Peripheral (Molex) power cable length | 100,300 mm | Weight | 2.15 kg |
| PCI Express power connectors (8-pin) | 4 | Packaging data | |
| PCI Express power connectors (16-pin) | 2 | Manual | ✓ |
| | | Package width | 285 mm |

Ports & interfaces


| | |
|-------------------------------|-------|
| CPU power connector (4+4 pin) | ✓ |
| CPU power cable length | 55 cm |

Packaging data

| | |
|----------------|---------|
| Package depth | 190 mm |
| Package height | 100 mm |
| Package weight | 2.84 kg |
| Package type | Box |

Technical details

| | |
|---------------------------|------------|
| Sustainability compliance | ✓ |
| Warranty period | 10 year(s) |
| Compliance certificates | RoHS |



4711081721574

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-OCT-2024. Prints or copies of Information are only valid on the printed Publication date