

# ASUS ROG Swift OLED PG34WCDM computer monitor 86.2 cm (33.9") 3440 x 1440 pixels UltraWide Quad HD LCD Black

**Brand :** ASUS

**Product family:** ROG Swift

**Product code:** 90LM09L0-B01A70

**Product name :** ROG Swift OLED PG34WCDM

ROG Swift OLED PG34WCDM gaming monitor — 34-inch (33.9 inch viewable, 3440 x 1440) 800R curved OLED panel, 240 Hz, 0.03 ms (GTG) response time, G-SYNC compatible, custom heatsink, uniform brightness, ROG Smart KVM, 90 W Type-C, and ASUS DisplayWidget Center

[ASUS ROG Swift OLED PG34WCDM computer monitor 86.2 cm \(33.9"\) 3440 x 1440 pixels UltraWide Quad HD LCD Black:](#)



## TRANSCENDENCE


Push the limits of gaming with ROG Swift OLED PG34WCDM ultrawide curved gaming monitor. It features a 34-inch 3rd generation ROG OLED technology panel that offers 30% brighter imagery compared to its predecessor with 100% window in HDR, color-fringing reduction, and ASUS Extreme Low Motion Blur (ELMB) technology. A 240 Hz refresh rate and typo 0.03 ms gray-to-gray (GTG) response time ensure incredibly immersive virtual worlds without motion blur or screen tearing. Plus, an advanced custom heatsink design reduces the risk of burn-in to improve performance and longevity of the OLED panel.

Display		Ports & interfaces	
Display diagonal *	86.2 cm (33.9")	HDMI ports quantity	2
Display resolution *	3440 x 1440 pixels	HDMI version	2.1
HD type *	UltraWide Quad HD	DisplayPorts quantity	1
Native aspect ratio *	21:9	DisplayPort version	1.4
Display technology *	LCD	Audio output	✓
Panel type *	OLED	Headphone out *	✓
Touchscreen *	✗	Headphone outputs	1
Response time *	0.03 ms	Built-in KVM switch	✓
Anti-glare screen	✓	HDCP	✓
Screen shape *	Curved	HDCP version	2.2
Screen curvature rating	800R	<b>Ergonomics</b>	
Contrast ratio (typical) *	1500000:1	VESA mounting *	✓
Maximum refresh rate *	240 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Wall mountable	✓
Viewing angle, vertical	178°	Cable lock slot *	✓
Display number of colours *	1.073 billion colours	Cable lock slot type	Kensington
Pixel pitch	0.231 x 0.231 mm	Height adjustment *	✓
Viewable size, horizontal	79.5 cm	Height adjustment	11 cm
Viewable size, vertical	33.3 cm	Swivelling	✓
Digital horizontal frequency	30 - 390 kHz	Swivel angle range	-15 - 15°
Digital vertical frequency	40 - 240 Hz	Tilt adjustment	✓
High Dynamic Range (HDR) supported	✓	Tilt angle range	-5 - 20°
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black, High Dynamic Range 10 (HDR10)	<b>Power</b>	
Colour gamut standard	DCI-P3	Energy efficiency class (SDR) *	F
Colour gamut	99%	Energy efficiency class (HDR) *	F
sRGB coverage (typical)	135%	Energy consumption (SDR) per 1000 hours *	30 kWh
		Energy consumption (HDR) per 1000 hours *	31 kWh

<b>Performance</b>		<b>Power</b>	
NVIDIA G-SYNC *	✓	Power consumption (typical) *	31 W
NVIDIA G-SYNC type	G-SYNC Compatible	Power consumption (off)	0.3 W
AMD FreeSync *	✓	Power consumption (PowerSave)	0.5 W
AMD FreeSync type	FreeSync Premium Pro	AC input voltage	100 - 240 V
VESA Adaptive Sync support	✓	AC input frequency	50/60 Hz
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	European Product Registry for Energy Labelling (EPREL) code	1815319
Game mode	✓		
<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Built-in speaker(s) *	✗	Width (with stand)	786 mm
Built-in camera *	✗	Depth (with stand)	293 mm
<b>Design</b>		Height (with stand)	551 mm
Market positioning *	Gaming	Weight (with stand)	8.4 kg
Product colour *	Black	Width (without stand)	786 mm
Illuminated stand	✓	Depth (without stand)	275 mm
Feet colour	Black	Height (without stand)	551 mm
<b>Ports &amp; interfaces</b>		Weight (without stand)	5.6 kg
Built-in USB hub *	✓	<b>Packaging data</b>	
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Package width	890 mm
USB Type-A downstream ports quantity	3	Package depth	465 mm
USB Type-C downstream ports quantity	1	Package height	291 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	13.5 kg
USB Power Delivery	✓	Package type	Box
USB Power Delivery up to	90 W	<b>Other features</b>	
HDMI *	✓	Motion blur reduction	✓



4711387307014



0197105319851



197105319851

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.