

Philips Momentum 32M1C5500VL/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD LCD Black

Brand : Philips

Product family: Momentum

Product code:
32M1C5500VL/00

Product name :
32M1C5500VL/00



Curved Gaming Monitor 32M1C5500VL Quad HD gaming monitor

Philips Momentum 32M1C5500VL/00 LED display 80 cm (31.5") 2560 x 1440 pixels Quad HD LCD Black:

This Philips gaming monitor delivers crystal-clear visuals and smooth gameplay. Sync technology, 165Hz refresh rate with HDR create a lifelike experience. The slim-frame display with Ultra Wide-Color enhances visual immersion.

Philips Momentum 32M1C5500VL/00. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Height adjustment *	✗
Display resolution *	2560 x 1440 pixels	Tilt adjustment	✓
HD type *	Quad HD	Tilt angle range	-5 - 20°
Native aspect ratio *	16:9	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display technology *	LCD		
Panel type *	VA	Plug and Play	✓
Backlight type	W-LED	LED indicators	Operation, Stand-by
Touchscreen *	✗	Power	
Display brightness (typical)	250 cd/m ²	Energy efficiency class (SDR) *	F
Response time *	4 ms	Energy efficiency class (HDR) *	G
Anti-glare screen	✓	Energy consumption (SDR) per 1000 hours *	32 kWh
Screen shape *	Curved	Energy consumption (HDR) per 1000 hours *	57 kWh
Screen curvature rating	1500R	Power consumption (typical) *	45.1 W
Contrast ratio (typical) *	3000:1	Power consumption (standby) *	0.5 W
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power consumption (off)	0.3 W
Maximum refresh rate *	144 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	16.7 million colours	Energy efficiency scale	A to G
Response time (fast)	1 ms	European Product Registry for Energy Labelling (EPREL) code	1302102
Pixel pitch	0.2724 x 0.2724 mm	Operational conditions	
Pixel density	93.24 ppi	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	69.7 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	80 cm		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		
DDC/CI	✓		
Haze rate	25%		

Display		Operational conditions	
Surface hardness	3H	Operating relative humidity (H-H)	20 - 80%
Colour depth	8 bit	Operating altitude	0 - 3658 m
Colour gamut standard	sRGB	Non-operating altitude	3658 - 12192 m
sRGB coverage (typical)	121.6%	Weight & dimensions	
NTSC coverage (typical)	102.1%	Width (with stand)	709 mm
Display sRGB	✓	Depth (with stand)	239 mm
Performance		Height (with stand)	527 mm
NVIDIA G-SYNC *	✗	Weight (with stand)	7.83 kg
AMD FreeSync *	✗	Width (without stand)	709 mm
VESA Adaptive Sync support	✓	Depth (without stand)	95 mm
Component video sync	Separate sync	Height (without stand)	423 mm
Flicker-free technology	✓	Weight (without stand)	6.37 kg
Low Blue Light technology	✓	Packaging data	
Multimedia		Package width	782 mm
Built-in speaker(s) *	✗	Package depth	227 mm
Built-in camera *	✗	Package height	523 mm
Design		Package weight	10.4 kg
Market positioning *	Gaming	Packaging content	
Product colour *	Black	Stand included	✓
Feet colour	Black	Cables included	HDMI, DisplayPort, AC
Ports & interfaces		Manual	✓
Built-in USB hub *	✗	Sustainability	
HDMI *	✓	Sustainability compliance	✓
HDMI ports quantity	2	Doesn't contain	Mercury, PVC/BFR
HDMI version	2.0	Other features	
DisplayPorts quantity	1	Low input lag	✓
DisplayPort version	1.4	Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7
Audio output	✓	Exterior finish type	Textured
HDCP	✓	Picture enhancement	SmartImage game
HDCP version	1.4/2.2	Recyclable packaging material	100%
Ergonomics		Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART
VESA mounting *	✓	EasyRead mode	✓
Panel mounting interface	100 x 100 mm	LowBlue mode	✓
Cable lock slot *	✓	Compliance certificates	RoHS
Cable lock slot type	Kensington	Mean time between failures (MTBF)	50000 h



8712581795962

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-OCT-2024. Prints or copies of Information are only valid on the printed Publication date