

Philips Evnia 8000 27M2N8500/00 computer monitor 67.3 cm (26.5") 2560 x 1440 pixels Quad HD QDOLED White

Brand : Philips

Product family: Evnia

Product code: 27M2N8500/00

Product name :
27M2N8500/00

Gaming Monitor 27M2N8500 QD OLED gaming monitor

Philips Evnia 8000 27M2N8500/00 computer monitor 67.3 cm (26.5") 2560 x 1440 pixels Quad HD QDOLED White:

This monitor is built for gaming at high speeds. Its 360Hz refresh rates, QD OLED panel, and DisplayHDR TrueBlack 400 certification make it a combination of incredible speed and premium picture quality. Philips Evnia 8000 27M2N8500/00. Display diagonal: 67.3 cm (26.5"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: QDOLED, Response time: 0.03 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: White



Display		Ergonomics	
Display diagonal *	67.3 cm (26.5")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable lock slot *	✓
HD type *	Quad HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	QDOLED	Height adjustment	13 cm
Panel type *	OLED	Swivelling	✓
Touchscreen *	✗	Swivel angle range	-30 - 30°
Display brightness (peak)	1000 cd/m ²	Tilt adjustment	✓
Display brightness (typical)	250 cd/m ²	Tilt angle range	-5 - 20°
Response time *	0.03 ms	Picture-in-Picture	✓
Anti-glare screen	✓	On Screen Display (OSD)	✓
Screen shape *	Flat	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (typical) *	1500000:1		
Dynamic contrast ratio marketing name	Mega Infinity DCR		
Maximum refresh rate *	360 Hz	Number of OSD languages	21
Viewing angle, horizontal	178°	Plug and Play	✓
Viewing angle, vertical	178°	LED indicators	Operation, Stand-by
Display number of colours *	1.07 billion colours	Power	
Pixel pitch	0.2292 x 0.2292 mm	Energy efficiency class (SDR) *	G
Pixel density	110.84 ppi	Energy efficiency class (HDR) *	G
Horizontal scan range	30 - 510 kHz	Power consumption (typical) *	83.7 W
Vertical scan range	48 - 360 Hz	Power consumption (standby) *	0.5 W
Viewable size, horizontal	59 cm	Power consumption (off)	0.3 W
Viewable size, vertical	33.4 cm	AC input voltage	100 - 240 V
Display diagonal (metric)	67.3 cm	AC input frequency	50/60 Hz
High Dynamic Range (HDR) supported	✓	Power supply type	Internal
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black		

Display		Operational conditions	
DDC/CI	✓	Operating temperature (T-T)	0 - 40 °C
Surface hardness	2H	Storage temperature (T-T)	-20 - 60 °C
Colour depth	10 bit	Operating relative humidity (H-H)	20 - 80%
Colour gamut standard	DCI-P3	Operating altitude	0 - 3658 m
Colour gamut	98.5%	Non-operating altitude	3658 - 12192 m
sRGB coverage (typical)	147.5%	Weight & dimensions	
NTSC coverage (typical)	120%	Width (with stand)	609.3 mm
Adobe RGB coverage	118%	Depth (with stand)	274.5 mm
Display sRGB	✓	Height (with stand)	513.7 mm
Performance		Weight (with stand)	7.35 kg
Ambient lighting type	3-sided	Width (without stand)	609.3 mm
Fast charging	✓	Depth (without stand)	61 mm
Component video sync	Separate sync	Height (without stand)	357.7 mm
Flicker-free technology	✓	Weight (without stand)	6 kg
Low Blue Light technology	✓	Packaging data	
Multimedia		Package width	780 mm
Number of speakers	2	Package depth	141 mm
RMS rated power	10 W	Package height	455 mm
Built-in speaker(s) *	✓	Package weight	11 kg
Built-in camera *	✗	Sustainability	
Design		Doesn't contain	Mercury, PVC/BFR
Market positioning *	Gaming	Other features	
Product colour *	White	Brand specific technologies	Crosshair
Ports & interfaces		Low input lag	✓
Built-in USB hub *	✓	Compatible operating systems	Mac OS X Windows 11 / 10
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Picture-by-Picture (PbP)	✓
USB upstream port type	USB Type-B	Exterior finish type	Textured
Number of USB Type-B upstream ports quantity	1	Picture enhancement	SmartImage Game
USB Type-A downstream ports quantity	2	Recyclable packaging material	100%
HDMI *	✓	Heavy metals free	Hg (mercury)
HDMI ports quantity	2	Delta E	2
HDMI version	2.1	Adaptive synchronisation	✓
DisplayPorts quantity	1	EasyRead mode	✓
DisplayPort version	1.4	LowBlue mode	✓
Headphone out *	✓	Philips SmartUniformity	93 - 105%
HDCP	✓	Compliance certificates	RoHS
HDCP version	1.4/2.2	Mean time between failures (MTBF)	30000 h
Ergonomics		Recycling data	
VESA mounting *	✓	Post-consumer recycled plastic	35%



8712581806309

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-OCT-2024. Prints or copies of Information are only valid on the printed Publication date