

Global Etailers




| | | | |
|--------------------------------|------------------------------|-------------------|--------------|
| Launch Date | 19 th August 2019 | | |
| Category | Memory | | |
| Part Numbers / UPC Code | 2400MHz | HX424C15FB3/4 | 740617293487 |
| | | HX424C15FB3K2/8 | 740617293470 |
| | | HX424C15FB3K4/16 | 740617293463 |
| | | HX424C15FB3/8 | 740617293456 |
| | | HX424C15FB3K2/16 | 740617293449 |
| | | HX424C15FB3K4/32 | 740617293432 |
| | | HX424C15FB3/16 | 740617293425 |
| | | HX424C15FB3K2/32 | 740617293418 |
| | | HX424C15FB3K4/64 | 740617293401 |
| | | HX424C15FB3/32 | 740617302769 |
| | | HX424C15FB3K2/64 | 740617302776 |
| | | HX424C15FB3K4/128 | 740617302752 |
| | 2666MHz | HX426C16FB3/4 | 740617296594 |
| | | HX426C16FB3K2/8 | 740617296587 |
| | | HX426C16FB3K4/16 | 740617296570 |
| | | HX426C16FB3/8 | 740617293395 |
| | | HX426C16FB3K2/16 | 740617293388 |
| | | HX426C16FB3K4/32 | 740617293371 |
| | | HX426C16FB3/16 | 740617293364 |
| | | HX426C16FB3K2/32 | 740617293357 |
| | | HX426C16FB3K4/64 | 740617293340 |
| | | HX426C16FB3/32 | 740617302745 |
| | | HX426C16FB3K2/64 | 740617302738 |
| | | HX426C16FB3K4/128 | 740617302721 |
| | 3000MHz | HX430C15FB3/4 | 740617296396 |
| | | HX430C15FB3K2/8 | 740617296402 |
| | | HX430C15FB3K4/16 | 740617296419 |
| | | HX430C15FB3/8 | 740617296532 |
| | | HX430C15FB3K2/16 | 740617296525 |
| | | HX430C15FB3K4/32 | 740617296518 |
| | | HX430C15FB3/16 | 740617296471 |
| | | HX430C15FB3K2/32 | 740617296464 |
| | | HX430C15FB3K4/64 | 740617296457 |
| | | HX430C16FB3/32 | 740617302714 |
| | | HX430C16FB3K2/64 | 740617302707 |
| | | HX430C16FB3K4/128 | 740617302691 |
| 3200MHz | HX432C16FB3/4 | 740617296389 | |
| | HX432C16FB3K2/8 | 740617296372 | |
| | HX432C16FB3K4/16 | 740617296365 | |

| | | | |
|---------------------------------------|---------------------------|-----------------------------|--------------|
| | | HX432C16FB3/8 | 740617296358 |
| | | HX432C16FB3K2/16 | 740617296341 |
| | | HX432C16FB3K4/32 | 740617296334 |
| | | HX432C16FB3/16 | 740617296297 |
| | | HX432C16FB3K2/32 | 740617296280 |
| | | HX432C16FB3K4/64 | 740617296273 |
| | | HX432C16FB3/32 | 740617302684 |
| | | HX432C16FB3K2/64 | 740617302677 |
| | | HX432C16FB3K4/128 | 740617302660 |
| | 3466MHz | HX434C16FB3/8 | 740617296563 |
| | | HX434C16FB3K2/16 | 740617296556 |
| | | HX434C16FB3K4/32 | 740617296549 |
| | | HX434C16FB3/16 | 740617296204 |
| | | HX434C16FB3K2/32 | 740617296198 |
| | | HX434C16FB3K4/64 | 740617296181 |
| | 3600MHz | HX436C17FB3/8 | 740617302653 |
| | | HX436C17FB3K2/16 | 740617302585 |
| | | HX436C17FB3K4/32 | 740617302561 |
| | | HX436C17FB3/16 | 740617302783 |
| | | HX436C17FB3K2/32 | 740617302578 |
| | | HX436C17FB3K4/64 | 740617302554 |
| | 3733MHz | HX437C19FB3/8 | 740617302530 |
| | | HX437C19FB3K2/16 | 740617302486 |
| | | HX437C19FB3/16 | 740617302547 |
| | | HX437C19FB3K2/32 | 740617302479 |
| Country of Origin | China | | |
| Dimension of Product | 133.35mm x 7.2mm x 34.1mm | | (L x W x H) |
| Dimension of Packaging | Singles: | 57.1mm x 13.9mm x 171.4mm | (L x W x H) |
| | Kits of 2: | 95.2mm x 13.9mm x 171.4mm | (L x W x H) |
| | Kits of 4: | 95.2mm x 25.4mm x 171.4mm | (L x W x H) |
| Unit Net Weight / Gross Weight | Singles: | 36g / 51.5g | |
| | Kits of 2: | 72.1g / 96.7g | |
| | Kits of 4: | 144.2g / 191.2g | |
| Dimension of Carton | Singles: | 311.1mm x 196.8mm x 60.9mm | (L x W x H) |
| | Kits of 2: | 311.1mm x 203.2mm x 101.6mm | (L x W x H) |
| | Kits of 4: | 311.1mm x 203.2mm x 101.6mm | (L x W x H) |
| Carton Quantity / Weight | Singles: | 25 / 1433.8g | |
| | Kits of 2: | 25 / 2629.1g | |
| | Kits of 4: | 10 / 2124.1g | |
| Warranty | Lifetime | | |

Specifications

| | | |
|-------------------------------|---|-------------------------|
| Capacities | Singles: | 4GB, 8GB, 16GB, 32GB |
| | Kits of 2: | 8GB, 16GB, 32GB, 64GB |
| | Kits of 4: | 16GB, 32GB, 64GB, 128GB |
| Frequencies | 2400MHz, 2666MHz, 3000MHz, 3200MHz, 3466MHz, 3600MHz, 3733MHz | |
| Latencies | CL15, CL16, CL17, CL19 | |
| Voltage | 1.2V, 1.35V | |
| Operating Temperatures | 0°C to 85°C | |

Product Marketing

| | | | |
|--|---|--|---|
| Product Name/Title | HyperX FURY DDR4 | | |
| Tagline | Unleash your style. Unleash your FURY. | | |
| Text Layer | HyperX® FURY DDR4 provides a powerful performance boost for gaming, video editing, and rendering with speeds up to 3733MHz. This cost-effective upgrade is available in 2400MHz–3733MHz speeds, CL15–19 latencies, single module capacities of 4GB–32GB, and kit capacities of 16GB–128GB. It features Plug N Play* automatic overclocking at 2400MHz and 2666MHz speeds and is both Intel XMP-ready and Ready for AMD Ryzen. HyperX FURY DDR4 stays cool with its stylish, low-profile heat spreader. 100% tested at speed and backed by a lifetime warranty, it's an easy, worry-free upgrade for your Intel or AMD-based system. | | |
| Bullet Points | <ul style="list-style-type: none"> • Updated low-profile heat spreader design • Cost-efficient, high-performance DDR4 upgrade • Intel XMP-ready • Ready for AMD Ryzen • Speeds up to 3733MHz and kit capacity up to 128GB • Plug N Play functionality at 2400MHz and 2666MHz* | | |
| Ecommerce Keywords | ddr4 ram 16gb;16 gb ram ddr4;ddr4 ram 16gb 3000mhz;ddr4 16gb 3000;16gb ddr4 3000mhz;ddr4 16gb;ddr4 ram;ddr4 ram 16;16gb ram;ram memory;ddr4 16 gb;ddr4 memory 16gb;16 ddr4;16 gb ram;ddr4 ram 8gb;ddr 4 16gb;ddr4;ddr4 3200 32gb;ddr4 memory;ram | | |
| Image Order* (order from left to right) If only 1 image slot use #1, if only 3 slots use #1-#3 * images are in order of how they should be displayed |  |  |  |
| | 1. Front (Main image/Hero shot/Thumbnail) | 2. Side | 3. Packaging front |
| | | | 4. Packaging back |

* HyperX Plug N Play memory will run in DDR4 systems up to the speed allowed by the manufacturer's system BIOS. PnP cannot increase the system memory speed faster than is allowed by the manufacturer's BIOS. HyperX Plug N Play DDR4 products support XMP 2.0 specifications so overclocking can also be achieved by enabling the built-in XMP Profile.