

ASUS ROG -LOKI-1200T-SFX-L-GAMING power supply unit 1200 W 20+4 pin ATX Zwart, Zilver

Merk : ASUS


Productfamilie: ROG

Artikelcode: 90YE00N0-B0NA00

Productnaam : ROG-LOKI-1200T-SFX-L-GAMING



ASUS ROG -LOKI-1200T-SFX-L-GAMING. Totaal vermogen: 1200 W, AC invoer voltage: 100 - 240 V, Piekvermogen: 1200 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 45 cm, SATA power cable length: 100,200,300 mm. Bedoeld voor: PC, Power supply unit (PSU) form factor: SFX-L, 80 PLUS certificatie: 80 PLUS Platinum. Kleur van het product: Zwart, Zilver, Type koeling: Actief, Ventilator diameter: 12 cm. Meegeleverde kabels: Sector, CPU, PCIe, Peripheral (Molex), SATA



Energie		Poorten & interfaces	
Totaal vermogen *	1200 W	ATX power connector (20+4 pin)	✓
Piekvermogen	1200 W	Bekabelingstype	Volledig modulair
AC invoer voltage *	100 - 240 V	Prestatie	
Power Factor Correctie (PFC) type	Actief	80 PLUS certificatie *	80 PLUS Platinum
Gecombineerd vermogen (+3.3V)	110 W	Bedoeld voor *	PC
Gecombineerd vermogen (+12V)	1200 W	Vormfactor van de voeding (PSU) *	SFX-L
Gecombineerd vermogen (+5V)	110 W	ATX version	3.0
Gecombineerd vermogen (-12V)	9,6 W	Bearing technologie	Kogellager
Gecombineerd vermogen(+5Vsb)	15 W	Design	
Max huidige output (+3.3V)	20 A	Kleur van het product	Zwart, Zilver
Max huidige output(+12V)	100 A	Type koeling	Actief
Max huidige output (+5V)	20 A	Ventilator diameter	12 cm
Max huidige output (-12V)	0,8 A	Aantal ventilatoren	1 ventilator(en)
Max huidige output (+5Vsb)	3 A	Belichting	✓
Stroomspanning bescherming	Te hoog vermogen, Overspanning, Overbelasting, Oververhitting, Kortsluiting, Onder spanning	Aan/uitschakelaar	✓
Poorten & interfaces		Inhoud van de verpakking	
Motherboard power connector *	20+4 pin ATX	Meegeleverde kabels	Sector, CPU, PCIe, Peripheral (Molex), SATA
Lengte stroomkabel moederbord	45 cm	Gewicht en omvang	
Aantal SATA power connectors	6	Breedte	125 mm
Lengte SATA-stroomkabel	100,200,300 mm	Diepte	125 mm
Peripheral (Molex) power connectors (4-pin) *	4	Hoogte	63,5 mm
Lengte stroomkabel randapparaat (Molex)	100,300 mm	Gewicht	2,15 kg
PCI Express power connectors (8-pin)	4	Verpakking	
PCI Express-voedingsconnectoren (16-pins)	2	Gebruikershandleiding	✓
		Breedte van de verpakking	285 mm
		Diepte van de doos	190 mm

Poorten & interfaces


CPU power connector (4+4 pin)	✓
Lengte CPU-stroomkabel	55 cm

Verpakking

Hoogte van de verpakking	100 mm
Gewicht pakket	2,84 kg
Verpakkingstype	Pak

Technische details

Naleving van duurzaamheid	✓
Garantieperiode	10 jaar
Certificaten van naleving	RoHS



4711081721574

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-OCT-2024. Prints or copies of Information are only valid on the printed Publication date